සියලු ම හිමිකම් ඇපිරීණි / முழுப் பதிப்புரிமையுடையது / All Rights Reserved ]
இலங்கைப் பரீட்சைத் திணைக்களம் இலங்கைப் பரீட்சைத் தின்னக்களிய இன்னகம் பரீட்சைத் திணைக்களம் இலங்கைப் பரீட்சுத் திணைக்களம் இலங்கைக்களம் இலங்கைக்களம் இலங்கைக்களம் இலங்கைப் பரீட்சைத் திணைக்களம் இலங்கைப் பரீட்சுத் திணைக்களம் இலங்கைக்களம் இலங்கைக்
අධාසයන පොදු සහතික පතු (උසස් පෙළ) විභාගය, 2017 අගෝස්තු கல்விப் பொதுத் தராதரப் பத்திர (உயர் தர)ப் பரீட்சை, 2017 ஓகஸ்ந் General Certificate of Education (Adv. Level) Examination, August 2017
கைப்பில் கிலை கல்கு $I$ தகவல், தொடர்பாடல் தொழினுட்பவியல் $I$ <b>20 E</b> $I$ இரண்டு மணித்தியாலம் <b>I Information &amp; Communication Technology I</b>
Instructions:
<ul> <li>* Answer all the questions.</li> <li>* Write your Index Number in the space provided in the answer sheet.</li> <li>* Instructions are also given on the back of the answer sheet. Follow those carefully.</li> <li>* In each of the questions 1 to 50, pick one of the alternatives from (1), (2), (3), (4), (5) which is correct or most appropriate and mark your response on the answer sheet with a cross (×) in accordance with the instructions given on the back of the answer sheet.</li> <li>* Use of calculators is not allowed.</li> </ul>
1. Who proposed the stored program concept first?(1) Lady Ada Augusta(2) Charles Babbage(3) Howard Aiken(4) Blaise Pascal(5) Von Neumann
<ul> <li>2. Which of the following components is generally seen outside the Central Processing Unit (CPU) of a computer's (1) RAM (2) Control Unit (3) ALU</li> <li>(4) General purpose registers (5) L1 cache memory</li> </ul>
<b>3.</b> What is the two's complement representation of 45, if an integer is represented by 8 bits? (1) 11010011 (2) 10110011 (3) 11001101 (4) 00101111 (5) 00101101
<ul> <li>4. Which of the followings is another name for web publishing?</li> <li>(1) Offline publishing</li> <li>(2) Desktop publishing</li> <li>(3) Media publishing</li> <li>(4) Online publishing</li> <li>(5) Self publishing</li> </ul>
<ul> <li>5. Which of the following secondary storage devices is generally considered to provide the fastest access to data?</li> <li>(1) Compact Disc</li> <li>(2) Digital Versatile Disc</li> <li>(3) Internal hard disk</li> <li>(4) Magnetic tape</li> <li>(5) Floppy disk</li> </ul>
6. Which of the followings is usually used to boot-up personal computers? (1) Firmware (2) Malware (3) Adware (4) Ransomware (5) Liveware
<ul> <li>7. Which of the followings is a main use of Complementary Metal-Oxide Semiconductor (CMOS) memory of a personal computer?</li> <li>(1) Keeping inputs for processing</li> <li>(2) Holding instructions for operations</li> <li>(3) Providing space for loading operating system</li> <li>(4) Retaining information for output</li> <li>(5) Keeping Basic Input Output System settings for the booting procedure</li> </ul>
<ul> <li>8. The execution of a series of non-interactive jobs on a personal computer with relative to the user is known as (1) multitasking.</li> <li>(2) multiuser processing.</li> <li>(3) multiprocessing.</li> <li>(4) batch processing.</li> <li>(5) online processing.</li> </ul>
9. Which of the following numbers is equivalent to the binary number $101111_2$ ?
(1) $57_{8}$ (2) $57_{16}$ (3) $57_{10}$ (4) $59_{16}$ (5) $5F_{16}$
<b>10.</b> $5D_{16} + 10111_2 =$ (1) $73_8$ (2) $75_{16}$ (3) $116_8$ (4) $163_8$ (5) $164_8$
<b>11.</b> What is the binary representation of $9.25_{10}$ ? (1) 1110011101 (2) 00001001.01 (3) 0000100101 (4) 1000100101 (5) 10001001.01
- www.apepanthiya.lk - [See page two

.

12.	A on motherboard is used to expand the functionality of a computer. Which of the followings is the most appropriate to fill in the blank in the above statement?
	(1) Bus (2) Clock (3) RAM (4) Slot (5) ROM
13.	Consider the following HTML code: <html> <head></head></html>
	<title>Countries</title>  <body> <!-- <h1--> Sri Lanka &gt; </body>
¥5	<ul> <li>Which of the followings correctly describes the display, when the above code is rendered?</li> <li>(1) The text "Country" appears on the title bar and the text "Sri Lanka" appears as a header.</li> <li>(2) The text "Sri Lanka" appears on the title bar and the text "Country" appears as a header.</li> <li>(3) The text "Country" appears on the title bar.</li> <li>(4) The text "<!--<hl--> Sri Lanka  </li> </ul>
	(5) The text " <h1 Sri Lanka >" appears in the body of the web page.
14.	Consider the "Submit" button of an HTML form given below:
	Which of the following tags/elements correctly implements the intended function of the above "Submit button?
	<ol> <li>(1) <input type="submit" value="Submit"/></li> <li>(2) <input type="button" value="Submit"/></li> <li>(3) <button type="button">Submit</button></li> </ol>
	<ul> <li>(4) <button type="submit"><!-- button--></button></li> <li>(5) <button type="submit" value="Submit"><!-- button--></button></li> </ul>
15.	Which of the following CSS rules renders the image in the file "school.png" as the background of a web page (1) body { background = "school.png"; } (2) body { background: url ("school.png"); } (3) body { background-image = "school.png"; } (4) body { background-image: "school.png"; } (5) body { background-image: url ("school.png"); }
16.	<ul> <li>In electronic mail systems, the protocol used by mail clients to retrieve messages from the mail server is</li> <li>(1) Simple Mail Transfer Protocol (SMTP).</li> <li>(2) File Transfer Protocol (FTP).</li> <li>(3) Internet Control Message Protocol (ICMP).</li> <li>(4) Internet Message Access Protocol (IMAP).</li> <li>(5) Telnet.</li> </ul>
17.	The transport layer protocol User Datagram Protocol (UDP) can be used for(1) reliable communication.(2) guaranteed delivery.(3) connection oriented communication.(4) ordered delivery.(5) exchanging state information among routers.
	<ul> <li>Which of the following statements regarding MAC addresses is correct?</li> <li>(1) Every network device has a unique MAC address.</li> <li>(2) Every network host has a unique MAC address.</li> <li>(3) Every network interface has a unique MAC address.</li> <li>(4) It is assigned for a device at the time of installation.</li> <li>(5) It is used for routing.</li> </ul>
	The first and the last IP addresses of a subnet are 192.192.48.0 and 192.192.63.255 respectively. Which of the followings is the subnet mask of this subnet?       (1) 255.255.255.0       (2) 255.255.192.0       (3) 255.255.255.192         (4) 255.255.240.0       (5) 255.240.0       (5) 255.240.0       (6) 255.255.192
	notes ord

- www.apepanthiya.lk -

[See page three

- 20. 172.16.48.200/24 is a
  - (1) host address in a class B network.~
  - (3) host address in 172.16.48.0/24 subnet.
  - (5) host address with 8 network bits.
- (2) network address of a class C network.

(4) network address of a subnet with 255 hosts.

- 21. In TCP/IP computer networks, Transport Protocol Data Unit (TPDU) is referred to as a
  - (1) packet. (2) frame. (3) segment. (4) window. (5) message.
- 22. Which of the following statements best describes a nice to have non-functional requirement of an Automated Teller Machine (ATM)?

- 3 -

- (1) System shall facilitate users to withdraw money.
- (2) System should let users to deposit money.
- (3) System shall use 256-bit encryption for all communications.
- (4) System should provide users a touch screen interface.
- (5) System shall dispense money within 5 seconds.

T1(M) Payment

Which of the followings is most appropriate to fill in the blank in the above statement?

(1) file tray (2) cardboard file

(3) file cabinet (4) data file in a hard disk

(5) temporary data file in a hard disk

24. Which of the following dataflow diagrams is correct with respect to the rules of dataflow modelling?



25. Consider the following flow chart:



What is the error with the above flow chart?

(2) Print is not a valid keyword.

It has two end symbols.
 It has no process box.

- (4) It has two print symbols.
- (5) A flow direction is not correct.

26. Which of the following statements is true about e-business?

- (1) It is a business process which conducts partially on online.
- (2) It consists of front-end and back-end online processes.
- (3) All 'brick vendors' conduct their business on online.
- (4) Any e-commerce application is an e-business application.
- (5) Any e-business application is an e-commerce application.
- 27. Students in a school are given tablet computers to improve their studies. Which of the followings is the most appropriate activity to achieve this objective?
  - (1) Downloading computerized study material (2) Watching entertainment videos
    - (4) Blog writing
  - (5) Playing computer games

(3) Instant messaging among friends

28. Which of the following statements is true about Artificial Intelligence?

- (1) Inference Engine in an Expert System completely mimics human decision making process.
- (2) Knowledge Base in an Expert System consists only the primary knowledge of an expert.
- (3) Expert systems are always implemented by using Genetic Algorithms.
- (4) Genetic Algorithms provide only one solution to a given problem.
- (5) Genetic Algorithm evolves a solution for a given problem over a number of iterations.
- 29. Which of the following statements is true about algorithms?
  - (1) A set of steps used to solve a problem is called an algorithm.
  - (2) A sequence of activities used to solve a problem is called an algorithm.
  - (3) To solve any problem, there can be at most one algorithm.
  - (4) An algorithm can contain an infinite number of steps.
  - (5) An algorithm does not need to terminate within a finite time.
- 30. Requirements of a system can be classified as Mandatory (Essential), Desirable (Optional), Functional and Non-functional.

"ATM of a bank shall not allow more than three attempts to enter a user's secret number incorrectly"

Which of the followings correctly classifies the above requirement?

(1) Mandatory, Functional

(2) Mandatory, Non-functional

(3) Desirable, Functional

- (4) Desirable Non-functional
- (5) Mandatory or Desirable, Functional
- (4) Desirable, Non-functional
- www.apepanthiya.lk -

[See page five

A	L/2017/20/E-1 - 5 -	
•	Consider the following relation to answer questions 31 and 32: Student (index_no, national_id_no, name, date_of_birth, gender, blood_group)	
	where index_no is a unique attribute and the name attribute fully depends on the index_r	o attribute.
31.	. Which of the following statements is correct with respect to the normal form of the above	ve relation?
	(1) It is in the zero normal form. (2) It is in the first normal form.	
5	(3) It is in the second normal form. (4) It is in the third normal form.	
	(5) Its normal form cannot be decided.	
32.	. Which of the followings can be a candidate key of the above relation? (1) national_id_no (2) name (3) date_of_birth (4) gender (5) blood_g	roup
•	Consider the following relations to answer questions 33 to 36:	
	book (book_no, title, publisher, edition)	
	author (author_id, name, email_address)	
	bookAuthor (book_no, author_id)	
1	where book_no and author_id are unique attributes in the relations book and author respe	ctively.
33.	Which of the following statements is correct with respect to the relation bookAuthor?	
	(1) book_no is the primary key. (2) author_id is the primary key.	
	(3) Any single attribute can be a candidate key. (4) author_id is a candidate key.	
	(5) book_no is a part of the primary key.	
34.	Which of the following Entity Relationship (ER) diagrams correctly represents the relation	chin botwoon the
	entities represented by the above relations?	smp between the
	(1) book write m author	21 A
92	(1) book write author	
Ê.	(2) book 1 write 1 author	
	(3) book write author	
1	(4) book $\frac{m}{m}$ write $\frac{n}{m}$ author	
	(5) book m write m	
	(5) book write author	
35.	Assume that above relations are converted into tables in a relational database. The following	na SOL anomi in
	executed on the database:	ig sqr query is
	SELECT * FROM bookAuthor	
	Which of the following statements is correct regarding the output of the above SQL query	2
	(1) It cannot be an empty table.	•
	(2) title column is in it.	
	(3) name column is in it.	
	(4) All the tables book, author and bookAuthor are used to produce the output.	
	(5) All records in the bookAuthor table are in the output.	
36.	Consider the following statements regarding the Data Definition Language (DDL) used to	create the table
	bookAuthor while maintaining data integrify:	create the more
	A - It has a primary key constraint.	
	B - It has a foreign key constraint.	
	C - It has a domain constraint.	
	Which of the above statement/s is/are correct?	
	(1) A only (2) A and B only (3) A and C only	
	(4) B and C only (5) All A, B and C	
		[See page sir

- www.apepanthiya.lk -

- 6 -

37. Which of the following organs is a part of a closed system of the human body? (1) Eyc (2) Ear (3) Heart (4) Kidney (5) Lung 38. Which of the following statements is correct? (1) Application software load applications into the main memory. (2) The programs stored in ROM are known as system software. (3) System software support data communication between peripheral devices. (4) Utility software is generally stored in ROM. (5) Utility software are incorporated in washing machines. 39. Consider the following data input devices: A - On screen keyboard (virtual keyboard) B - Bar code reader  $\boldsymbol{\zeta}$  - Magnetic card reader Which of the above devices can be used to input data more efficiently? (2) B only (4) A and B only (5) B and C only (1) A only (3) C only 40. Consider the following statements regarding CSS used in HTML: A - One style sheet can define the rendering of HTML elements in multiple documents. B - No additional download is needed to import style sheets. C - The HTML document must include a <link> tag. D - The style attribute is required in the relevant element. Which of the above statements are correct when using External Style Sheets? (1) A and B only (2) A and C only (3) B and D only (4) A, C and D only (5) B, C and D only 41. Which of the following statements about Python data types/expressions is correct? (1) String is a mutable data type. (2) List is an immutable data type. (3) [1, 2, 3] is a tuple. (4) The expression [1, 2, 3] [1] will produce [2] when executed. ---(5) The type of  $\{ 'a':1, 1:(1, 2) \}$  is a Dictionary. 42. Consider the following values: A - 2.3e2 **B** - TRUE C - "This isn't a string" D - " Which of the above values are valid in Python? (2) A and C only (1) A and B only (3) B and C only \_ (4) A, B and C only (5) A, C and D only 43. Consider the following Python statement: temp = [1, 2, 3, 4, 5, 6] [2::2] Which of the followings is the value of the variable temp after executing the above statement? (1) 2, 4, 6 (2) 3, 5 (3) [2, 3] (4) [3, 5] (5) [2, 4, 6] 44. Consider the following statements: a = b = 2 + 3Α-B a, b = 2, 3Сa, b = (2, 3)D a = (2, 3)Which of the above are valid assignment statements in Python? (1) A and B only (2) B and C only (3) C and D only (4) A, B and C only (5) All A, B, C and D

Consider the following P A - True or False and B B - 3 > 2 and False C - $\{2, 3\} = \{3, 2\}$ D - $(2, 3) = (3, 2)$ Which of the above expr (1) A and B only (4) B and D only		Boolean value True? (3) B and C only
The content of two files respectively.		ut.csv" are shown in the figures "Fig. 1" and "Fig. 2"
•	Ruvan, 20, 50 Ramesh, 0, 5 Raj, 10, 10	Ruvan 20 50 70 Ramesh 0 5 5 Raj 10 10 20
Which of the following the file "out.csv"?	Fig. 1: in.csv Python programs can be use	Fig. 2: out.csv od to transform the data in "in.csv" to the content o
<pre>(1)   f1=open("in.csv", "r"   f2=open("out.csv", "r"   for line in f1:      items=line.strip().s      tot=int(items[1])+i      print(items[0], item   f1.close()   f2.close()</pre>	") plit(",")	<pre>(2)     f1=open("in.csv", "r")     f2=open("out.csv", "w")     for line in f1:         items=line.strip()         tot=int(items[1])+int(items[2])         print(items[0], items[1], items[2], tot)     f1.close()     f2.close()</pre>
<ul> <li>(3)</li> <li>f1=open("in.csv", "r"</li> <li>f2=open("out.csv", "v</li> <li>for line in f1:</li> <li>items=line.strip().s</li> <li>tot=int(items[1])+i</li> <li>print(items[0], item</li> <li>f1.close()</li> <li>f2.close()</li> </ul>	w") :plit(",")	<pre>(4)     fl=open("in.csv", "r")     f2=open("out.csv", "w")     for line in f1:         items=line.strip().split(",")         tot=items[1]+items[2]         print(items[0], items[1], items[2], tot, file = f2)         f1.close()         f2.close()</pre>
<pre>(5) f1=open("in.csv", "r" f2=open("out.csv", "r" for line in f1:     items=line.strip().s     tot=int(items[1])+i     print(items[0], iter f1.close() f2.close()</pre>	w") :plit(",")	2

- A They make logic circuit design simpler.
- B They help to construct logic circuits that consume less electricity.
- C They make logic circuit construction more economical.

Which of the above statements is/are correct?

(1) A only (2) B only (3) A and B only (4) A and C only (5) B and C only

ų,

	(1) def $f(x)$ :	(2)	def f(x):	(3)	def $f(x)$ :	
	s = x[0]	(2)	s = x[0]	(0)	s = 0	
	for i in range (0, len(x)):		for i in range (1, len(x)):		for i in x:	
	s=s+i		s=s+i	C.	s=s+i	
	return s		return s		return s	
	ictuiti s		icium s		ictuin s	
	(4) def $f(x)$ :	(5)	def f(x):			
	s = 0	(5)	s = 0			
	for i in x:		i = 0			
	s=s+x[i]		while $i < len(x)$ :			
	return s		s=s+ x[i]			
		10	return s			
			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			
9.	Consider the following system	impl	ementation methods:			
	A - Direct					
	B - Pilot im	imn	imon n meths:			Address of the
	C - Parallel		- in	nlemt		
	and a first hard the set from	à.,	and the second second second			
	Which of the above method(s)				•	system?
			B only	(3)	C only	
	(4) A and B only	(5)	A and C only			
n	Consider the following aloung					
υ.	Consider the following clauses: A - can response to relevant		nonmont observes			
	B - always acts according to					
	C - performs only pre-defined	i set	of tasks			**
	D - can make decisions unde					
	17 - CAU HIAKE UELISIOUS HUUE					
			·			
	Which of the above can be co	onside	ered as properties of softw			
	Which of the above can be co (1) A and B only	onside (2)	ered as properties of softw A and C only		nt system? A and D onl	у
	Which of the above can be co	onside (2)	ered as properties of softw			у
	Which of the above can be co (1) A and B only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only	onside (2)	ered as properties of softw A and C only			y
	Which of the above can be co (1) A and B only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2)	A and C only C and D only			y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2) (5)	ered as properties of softw A and C only C and D only * * *	(3)		y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2) (5)	ered as properties of softw A and C only C and D only * * *	(3)		y
	Which of the above can be co (1) A and B only (4) B and C only	onside (2) (5)	ered as properties of softw A and C only C and D only * * *	(3)	A and D onl	
	Which of the above can be co (1) A and B only (4) B and C only	onside (2) (5)	ered as properties of softw A and C only C and D only * * *	(3)	A and D onl	
	Which of the above can be co (1) A and B only (4) B and C only	onside (2) (5)	ered as properties of softw A and C only C and D only * * *	(3)	A and D onl	
	Which of the above can be co (1) A and B only (4) B and C only	onside (2) (5)	ered as properties of softw A and C only C and D only * * *	(3)	A and D onl	
	Which of the above can be co (1) A and B only (4) B and C only	onside (2) (5)	ered as properties of softw A and C only C and D only * * *	(3)	A and D onl	

## ICT විෂයට අදාළ සියලූම ඉගෙනුම් උපකාරක එකම තැනකින් ICT notes.org + VLC

පසුගිය විභාග

පුශ්න පතු

පෙරහුරු හා වාර

විභාග පුශ්න පතු

**CLICK HERE TO DOWNLOAD** 

පාඩම්වල වලට

අදාළ සටහන්

